

Declaration of conformity

According to EN ISO/IEC 17059-1:2010

| | |
|---|--|
| Number | Manufacturer |
| 2272/02/2020 | TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic |
| Declaration subject | Stainless steel perforated protective basket TOPWET TWOK BAL |
| Type | <input type="checkbox"/> TWOK BAL v35 <input type="checkbox"/> TWOK BAL v50 <input type="checkbox"/> TWOK BAL v85 <input type="checkbox"/> TWOK BAL v110 |
| The subject of declaration described above is in conformity with requirements | EN 1253-2:2015 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap |

Additional information |

a. Basic technical parameters

1. Height (mm): 35, 50, 85, 110
2. Purpose: protection of balcony outlets, sanitation outlets and attachments against inbreak of the aggregate on roofs with an additional loading layer of shingle
3. Material: stainless steel sheet 1.5 mm thick
4. Load category: K3 - 300 kg

b. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017 by URS United Registrar of Systems Czech s.r.o., PSN House, Argentinská 286/38, 170 00 Praha 7

c. Conformity assessment was executed by internal inspection within the scope of established production management system




Jaroslav Černý | CEO

In Ostrovačice on 01.02.2020