




Balcony outlets TOPWET TWB



BASIC INFORMATION

| | |
|-------------------------------------|---|
| purpose | drainage of terraces and balconies |
| material | polyamide PA6 |
| integrated connection sleeve | BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin, EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed |
| colour | orange |
| load category | H 1,5 |
| certification | EN 1253-2:2015 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap |
| manufacturer | TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic |

TECHNICAL PARAMETERS



Balcony outlets – vertical version

| Type | DN | Dimensions [mm] | | | | | |
|----------|----|-----------------|-----|----|----|----|----|
| | | a | b | c | d | e | f |
| TWB 50 S | 50 | 150 | 120 | 45 | 51 | 24 | 94 |
| TWB 75 S | 70 | 150 | 120 | 54 | 51 | 24 | 99 |

Balcony outlets – horizontal version

| Type | DN | Dimensions [mm] | | | |
|----------|----|-----------------|----|-----|----|
| | | a | b | c | d |
| TWB 50 V | 50 | 150 | 61 | 167 | 14 |
| TWB 75 V | 70 | 150 | 96 | 163 | 21 |